
#### CST Armoured Loose Tube Cable 6-144F

Corrugated steel tape armoured loose tube fibre cable is suited to external underground installations in ducts by pulling, jetting or floating techniques or by direct burial in open-cut trenches. CST armoured loose tube is particularly suited to areas where rodents and termites are an issue and metallic construction is permitted.

Loose tube cable offers a cost-effective and rugged solution for medium and long distance external fibre runs.

FOS corrugated steel tape armoured loose tube cable is available in OM1, OM3, OM4 and Singlemode.\*

\*G652.D Standard, G655, G656, G657 available



## **Applications**

- Underground ducts
- Direct buried fibre links
- Inter-building links
- Infrastructure and industrial fibre links
- Rodent/termite prone areas


#### **Features & Benefits**

- Double jacketed, armoured loose tube
- Insect/termite & rodent proof steel tape and UV stabilised polyethelene jackets suits permanent installation in a wide range of environments
- Water swellable yarns provide protection against water ingress(dry core construction)
- Metallic armouring offers superior protection to a range of hazards
- Fibreglass reinforced polymer central strength member provides excellent anchor point
- Flexible buffer tubes provide easy handling within termination enclosures
- Single layer SZ stranding limits stress on fibre tubes under tensile loads
- Fibre friendly thixotropic gel in tubes ensures fibre protection
- TIA 598 standard colour code
- 6-144 fibres

### **CST Armoured Loose Tube Cable 6-144F**

#### **Fibre Performance**

Fibretype	OM1	OM3	OM4	OS1/2(G652D)
Attenuation at 850nm (db/km)	≤3.1	<u>&lt;</u> 3.0	<u>&lt;</u> 3.0	n/a
Attenuation at 1300/1310nm (db/km)	<u>&lt;</u> 1.0	<u>&lt;</u> 1.0	<u>&lt;</u> 1.0	<u>&lt;</u> 0.35
Attenuation at 1550nm (db/km)	n/a	n/a	n/a	<u>&lt;</u> 021
Attenuation at 1625nm (db/km)	n/a	n/a	n/a	<024
Bandwidth at 850nm [1300nm] (MHzkm)	≥200 [≥500]	≥1500 [≥500]	≥3500 [≥500]	n/a



# **Technical Specifications**

Temperature Range (°C)	Operating: -30 to +70 Storage: -30 to +70 Install: -20 to +70	(IEC 60794-1-2-F1)		
Cable bend radius	Install: 20xcable diameter Operation: 20xcable diameter	(IEC 60794-1-2-E11A)		
Repeated bending	30 cycles: radius 20 Xcable diameter, 10 KgLoad	(IEC 60794-1-2-E6)		
Maxtensile force (N)	Install: 2500 Operation: <i>1</i> 500	(IEC 60794-1-2-E1)		
Torsion resistance	10 Cydes (±360°) 10 Kg weight, 2mlength	(IEC 60794-1-2-E7)		
Crush resistance (N/100mm)	4000	(IEC 60794-1-2-E3)		
Impactresistance	500mm height, 5kg weight, 3impacts	(IEC 60794-1-2-E4)		
Kink resistance	10 xcable diameter	(IEC 60794-1-2-E10)		
Water penetration	1m head, 3m cable, 24hours	(IEC 60794-1-2-F5B)		

Change in attenuation after testing shall be <0.1dB

### **Cable Characteristics**

Fibre Count	6-72	96	144
Nominal diameter (mm)	13.5	15.0	17.5
Nominal weight (kg/km)	170	205	270
Minimum bendradius installation (cm)	27.0	30.0	35.0
Min. bend radius longterm (cm)	27.0	30.0	35.0

# Please contact atg for more detail and delivery times